

Recursion

Κ08 Δομές Δεδομένων και Τεχνικές Προγραμματισμού

Under construction

1

Recursion

- Recursion is a **fundamental concept** of Computer Science.
- It usually help us to write simple and elegant solutions to programming problems.
- You will learn to program recursively by working with many examples to develop your skills.

2

Recursive Programs

A **recursive program** is one that calls itself in order to obtain a solution to a problem.

The reason that it calls itself is to compute a solution to a **subproblem** that has the following properties:

- The subproblem is **smaller** than the problem to be solved.
- The subproblem can be solved **directly (as a base case)** or **recursively by making a recursive call**.
- The subproblem's solution can be **combined** with solutions to other subproblems to obtain a solution to the overall problem.

3

Example

- Let us consider a simple program to add up all the squares of integers from m to n.
- An **iterative function** to do this is the following:

```
int SumSquares(int m, int n) {  
    int i, sum;  
    sum=0;  
    for (i = m; i <= n; i++) sum += i*i;  
    return sum;  
}
```

4

Recursive Sum of Squares

```
int SumSquares(int m, int n) {
    if (m < n) {
        return m*m + SumSquares(m+1, n);
    }
    else {
        return m*m;
    }
}
```

5

Comments

- In the case that the range m:n contains more than one number, the solution to the problem can be found by adding (a) the solution to the smaller subproblem of summing the squares in the range m+1:n and (b) the solution to the subproblem of finding the square of m. (a) is then solved in the same way (recursion).
- We stop when we reach the **base case** that occurs when the range m:n contains just one number, in which case m==n.
- This recursive solution can be called **“going-up” recursion** since the successive ranges are m+1:n, m+2:n etc.

6

Going-Down Recursion

```
int SumSquares(int m, int n) {
    if (m < n) {
        return SumSquares(m, n-1) + n*n;
    }
    else {
        return n*n;
    }
}
```

7

Recursion Combining Two Half-Solutions

```
int SumSquares(int m, int n) {
    int middle;
    if (m == n) {
        return m*m;
    }
    else {
        middle = (m + n) / 2;
        return
        SumSquares(m,middle) + SumSquares(middle + 1,n);
    }
}
```

8

Comments

- The **recursion** here says that the sum of the squares of the integers in the range $m:n$ can be obtained by adding the sum of the squares of the left half range, $m:\text{middle}$, to the sum of the squares of the right half range, $\text{middle}+1:n$.
- We stop when we reach the **base case** that occurs when the range contains just one number, in which case $m==n$.
- The middle is computed by using **integer division** (operator $/$) which keeps the quotient and throws away the remainder.


9

Call Trees and Traces

- We can depict graphically the behaviour of recursive programs by drawing **call trees** or **traces**.


10

Call Trees



11

Annotated Call Trees



12

Traces

```
SumSquares(5,10) = SumSquares(5,7) + SumSquares(8,10)
= SumSquares(5,6) + SumSquares(7,7) + SumSquares(8,9) + SumSquares(10,10)
= SumSquares(5,5) + SumSquares(6,6) + SumSquares(7,7) +
  + SumSquares(8,8) + SumSquares(9,9) + SumSquares(10,10)
= ((25 + 36) + 49) + ((64 + 81) + 100)
= (61 + 49) + (145 + 100)
= (110 + 245)
= 355
```

13

Computing the Factorial

- Let us consider a simple program to compute the factorial $n!$ of n .
- An **iterative function** to do this is the following:

```
int Factorial(int n) {
    int i, f;
    f = 1;
    for (i = 2; i <= n; i++)
        f = f * i;
    return f;
}
```

14

Recursive Factorial

```
int Factorial(int n) {
    if (n == 1) {
        return 1;
    }
    else {
        return n * Factorial(n-1);
    }
}
```

15

Computing the Factorial (cont'd)

- The previous program is a “going-down” recursion.
- Can you write a “going-up” recursion for factorial?
- Can you write a recursion combining two half-solutions?
- The above tasks do not appear to be easy.

16

Computing the Factorial (cont'd)

- It is easier to first write a function `Product(m,n)` which **multiplies** together the numbers in the range `m:n`.
- Then $Factorial(n) = Product(1,n)$.

17

Multiplying m:n Together Using Half-Ranges

```
int Product(int m, int n) {
    int middle;
    if (m == n) {
        return m;
    }
    else {
        middle = (m + n) / 2;
        return Product(m,middle) * Product(middle + 1,n);
    }
}
```

18

Reversing Linked Lists

- Let us now consider the problem of reversing a linked list `L`.
- The type `NodeType` has been defined in the previous lecture as follows:

```
typedef char AirportCode[4];
typedef struct NodeTag {
    AirportCode Airport;
    struct NodeTag * Link;
} NodeType;
```

19

Reversing a List Iteratively

- An **iterative function for reversing a list** is the following:

```
void Reverse(NodeType ** L){
    NodeType * R, * N, * L1;
    L1 = L1 * L;
    R = NULL;
    while (L1 != NULL) {
        N = L1;
        L1 = L1->Link;
        N->Link = R;
        R = N;
    }
    * L = R;
}
```

20

Question

- If in our main program we have a list with a pointer A to its first node, how do we call the previous function?

21

Answer

- We should make the following call:

```
Reverse(&A)
```

22

Reversing Linked Lists (cont'd)

- A recursive solution to the problem of reversing a list L is found by partitioning the list into its **head** $Head(L)$ and **tail** $Tail(L)$ and then concatenating the reverse of $Tail(L)$ with $Head(L)$.

23

Head and Tail of a List

- Let L be a list. $Head(L)$ is a list containing the first node of L. $Tail(L)$ is a list consisting of L's second and succeeding nodes.
- If $L == NULL$ then $Head(L)$ and $Tail(L)$ are not defined.
- If L consists of a single node then $Head(L)$ is the list that contains that node and $Tail(L)$ is $NULL$.

24

Example

- Let $L = (SAN, ORD, BRU, DUS)$. Then
- $Head(L) = (SAN)$ and
- $Tail(L) = (ORD, BRU, DUS)$.

25

Reversing Linked Lists (cont'd)

```
NodeType * Reverse(NodeType * L){
    NodeType * Head, * Tail;
    if (L == NULL) {
        return NULL;
    }
    else {
        Partition(L, &Head, &Tail);
        return Concat(Reverse(Tail), Head);
    }
}
```

26

Reversing Linked Lists (cont'd)

```
void Partition(NodeType * L, NodeType ** Head, NodeType ** Tail) {
    if (L != NULL) {
        * Tail = L->Link;
        * Head = L;
        (* Head)->Link = NULL;
    }
}
```

27

Reversing Linked Lists (cont'd)

```
NodeType *Concat(NodeType *L1, NodeType *L2) {
    NodeType * N;
    if (L1 == NULL) {
        return L2;
    }
    else {
        N = L1;
        while (N->Link != NULL)
            N = N->Link;
        N->Link = L2;
        return L1;
    }
}
```

28

Infinite Regress

Let us consider again the recursive factorial function:

```
int Factorial(int n){  
    if (n == 1) {  
        return 1;  
    }  
    else {  
        return n * Factorial(n-1);  
    }  
}
```

What happens if we call *Factorial*(0)?

29

Infinite Regress (cont'd)

Factorial(0) = 0 * Factorial(-1)


= 0 * (-1) * Factorial(-2)

= 0 * (-1) * Factorial(-3)

- and so on, in an infinite regress.
- When we execute this function call, we get "Segmentation fault (core dumped)".

30

The Towers of Hanoi



31


The Towers of Hanoi (cont'd)

To Move 4 disks from Peg 1 to Peg 3:

- Move 3 disks from Peg 1 to Peg 2
- Move 1 disk from Peg 1 to Peg 3
- Move 3 disks from Peg 2 to Peg 3


32

Move 3 Disks from Peg 1 to Peg 2




33

Move 1 Disk from Peg 1 to Peg 3




34

Move 3 Disks from Peg 2 to Peg 3



35

Done!



36

A Recursive Solution

```
void MoveTowers(int n, int start, int finish, int spare) {
    if (n == 1) {
        printf("Move a disk from peg %1d to peg %1d\n", start, finish);
    }
    else {
        MoveTowers(n-1, start, spare, finish);
        printf("Move a disk from peg %1d to peg %1d\n", start, finish);
        MoveTowers(n-1, spare, finish, start);
    }
}
```

37

Analysis

Let us now compute the **number of moves** $L(n)$ that we need as a function of the number of disks n :

$$L(1) = 1 \quad L(n) = L(n-1) + 1 + L(n-1) = 2 * L(n-1) + 1, n > 1$$

The above are called **recurrence relations**. They can be solved to give:

$$L(n) = 2^n - 1$$

38

Analysis (cont'd)

- Techniques for solving recurrence relations are taught in the Algorithms and Complexity course.
- The running time of algorithm MoveTowers is **exponential** in the size of the input.

39

Readings

- T. A. Standish. *Data structures, algorithms and software principles in C*.
- Chapter 3.
- (προαιρετικά) R. Sedgewick. *Αλγόριθμοι σε C*. Κεφ. 5.1 και 5.2.

40

